



Europäisches Patentamt
European Patent Office
Office européen des brevets



(11) **EP 1 016 947 A2**

(12) **EUROPEAN PATENT APPLICATION**

(43) Date of publication:
05.07.2000 Bulletin 2000/27

(51) Int. Cl.⁷: **G06F 1/00**

(21) Application number: **99204446.1**

(22) Date of filing: **21.12.1999**

(84) Designated Contracting States:
**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE**
Designated Extension States:
AL LT LV MK RO SI

(30) Priority: **31.12.1998 US 114315 P**

(71) Applicant:
**Texas Instruments Incorporated
Dallas, Texas 75251 (US)**

(72) Inventors:
• **Pearson, Joseph B.**
Cedar Park, Texas 78613 (US)
• **Holodak, George A.**
Belton, Texas 76513 (US)

(74) Representative: **Holt, Michael**
Texas Instruments Limited,
European Patents Department (MS 13),
PO Box 5069
Northampton NN4 7ZE (GB)

(54) **Portable electronic equipment key**

(57) A portable electronic equipment key is disclosed in which a reader is disposed within a piece of electronic equipment and a transponder, manifested as either a key fob or a credit card, for example, is brought within the read range of the reader. At the manufacturing level, the same digital signature is programmed into the memory of both the piece of electronic equipment and the transponder. The reader transmits a challenge to the transponder, and knowing the challenge sent and

having the same digital signature as the transponder, anticipates the response from the transponder. The transponder receives the challenge, runs the challenge through the digital signature stored within, and transmits a response back to the reader. The reader upon receiving the expected response, sends an enable to turn on the piece of electronic equipment.




FIG. 1

EP 1 016 947 A2

Best Available Copy

Description**Field of the Invention**

[0001] This invention relates in general to security systems and more particularly to security systems for portable electronic equipment using RF-ID technology.

Background of the Invention

[0002] Batteryless transponder radio frequency identification (RF-ID) systems rely on the rectification of the interrogation signal for power as has been taught in the U.S. patent number 5,074,774 of Josef Schuermann et al, issued October 1, 1991. This, in turn, requires that the transponder circuitry consume very little power. The application of such transponders, such as for animal identification, requires that the packaging be quite small. As a result of these constraints, most such transponders have read-only capability. As an example of an unsuitable approach for these applications, systems, such as that described in U.S. Pat. No. 5,310,999, "Secure Toll Collection System for Moving Vehicles", issued May 10, 1994, would consume far too much power, be too bulky and cost too much. The continued growth of applications of RF-ID systems requires improvements in avoiding false interrogations and data modification either deliberate or accidental.

[0003] Improved RF-ID systems have Read/Write transponders as disclosed in U.S. patent number 5,450,088 issued September 12, 1995, and are used in airline baggage tracking, warehouse goods tracking and assembly line piece part tracking. In the patent reference mentioned above, the application of toll collection from a rapidly moving vehicle requires a remote Read/Write capability with rapid response time. Some automobiles are now provided with remote transmitters for unlocking doors, fuel tanks and luggage compartments. Increased security as well as vehicle immobilization is highly desirable. Because of the added protection required to prevent unauthorized persons from realizing personal gain, a security solution must be found.

[0004] Another more current need has arisen in the area of security systems. Computer laptops are increasingly becoming targets of theft. For example, according to one of the nations leading computer insurers, 208,000 laptops were stolen in 1995, which represents an increase of 39% from the year before. Another common scenario is as follows; Meeting attendees meet, adjourn for lunch and return from lunch only to discover that their laptops have been tampered with. Previous conventional security for electronic equipment may involve either physical security (i.e. handcuffing the laptop to oneself) or having a software password. Neither has been effective in curbing computer-related crime. Therefore a need has arisen to deter theft of laptops and to secure the contents of laptops when the owner/operator is unavailable.

Summary of the Invention

[0005] A portable electronic equipment key (PEEK) system is disclosed, which would have a TIRIS RF-ID transponder (as disclosed in U.S. patent number 5,450,088 or 5,074,774) manifested as a key fob, in a ring, in the form of a credit card or a clip-on to a watch band, etc. of the equipment owner/user. The reader would be a 16 pin ASIC, such as one made by Texas Instruments, which could easily be integrated onto the electronic equipment motherboard by the manufacturer. In order to activate the electronic equipment, the transponder is presented by the user to the electronic equipment. Only when the reader reads the proper identification code stored in the user/owner's transponder does the computer turn on and or 'boot-up' and begin initialization procedures. In addition, operator access to the computer's operating system can be controlled using the same technology.

[0006] The system disclosed by the present application proves is low cost, and high security that is achieved at no inconvenience to the equipment user/owner. Additionally, theft deterrence achieved.

Brief Description of the Drawings

[0007] The present invention will now be further described, by way of example, with reference to the accompanying drawings in which:

Figure 1 illustrates the transponder manifested as several possible shapes; as a key fob, in a ring, as a credit card.

Figure 2 illustrates the interaction between the transponder and the electronic equipment authorizing use of the electronic equipment.

Detailed Description of the Preferred Embodiments

[0008] A portable electronic equipment key(PEEK) system is disclosed comprising a TIRIS transponder provided as a key fob, in a ring, in the form of a credit card or a clip-on to a watch band of the equipment user/owner and a reader which has been integrated into the CPU or the brains of the equipment. Of course, the invention does not need to be limited to a reader integrated into the CPU of a computer. Instead, the reader may be a stand-alone integrated circuit or it might be integrated into any number of existing IC's within the computer or mounted onto any number of circuit boards within the computer. In addition, the examples of ways in which the transponder may be provided are merely provided as such and are not intended to limit the scope of the present application. The transponder need only be conveniently located on the owner/user's person or belongings such that presentation of the transponder to the electronic equipment is easily and conveniently accomplished. In simplistic terms, upon presentation of

the transponder to the electronic equipment, the equipment will read the identification code of the transponder and will enable or turn on the electronic equipment if the identification code matches that of the equipment. If a mismatch occurs or there is no transponder to read, the electronic equipment will remain disabled or turned off.

[0009] More specifically and distinctly, the interchange between the reader and the transponder is described. At the point of manufacturing, a predetermined algorithm is stored in both the transponder and the reader of the computer. The TIRIS security processor in the reader programs the transponder (tag) with a 40 bit secret key that only the processor and the tag know. The 40 bit secret key, otherwise known as a Digital Signature Tag, is never transmitted through the air after programming. The secret key is then also made known to the microprocessor or another chip on the motherboard and the hard drive, for example. When turning on the computer, the reader issues a 40-bit challenge to the transponder. The transponder processes the 40 bit challenge using the predetermined algorithm, yields a 24 bit response and transmits the response back to the reader. In dependence upon the challenge sent, the reader expects a predetermined response. Upon receiving the predetermined response, the reader sends an enable signal to the computer and the computer turns on. The above is a simplistic representation of the invention, whereas the invention may disable and enable many facets of the computer such as input output (I/O) ports, system Basic Input Output System (BIOS), etc, in dependence upon the reader receiving the aforementioned predetermined response. The examples of computer facets described are not an exhaustive list but instead are merely meant as examples and are not intended to limit the scope of the invention.

[0010] The TIRIS RF-ID system requires no independent power source for the transponder as at least a read/only transponder is powered exclusively by the interrogation signal sent from the reader as disclosed in previously mentioned U.S. Patent No. 5,053,074. A full duplex system is also envisioned wherein the transponder simply absorbs/reflects different discrete amounts of the interrogation signal in dependence upon the identification code stored therein. If a larger read range is desired, the transponder can be battery operated as are the read/write transponders disclosed in previously mentioned U.S. Patent No. 5,450,088. The reader can be powered by the battery, which powers the equipment or computer itself or acquire power remotely via RF or other means, i.e. infrared.

[0011] Computer theft deterrence would not be the only benefit from the PEEK system. Operator access to a computer's operating system could be controlled similarly, effecting file security. For example, authorization levels for individuals could be set to run different levels of a computer program. A program could be implemented in the 'boot-up' sequence, which automatically

logs the user's identification thereby tracking the users of a particular piece of electronic equipment.

[0012] The PEEK system could also be used to deter theft of high dollar components on the equipment. For example, the microprocessor or the hard drive may also be programmed to work only when the correct transponder has been presented to the computer. In addition, if the hard drive is removed, it will not work in another computer. This scenario is embodied in this fashion. A predetermined algorithm is stored in both the transponder and the reader of the computer at the manufacturing level. The TIRIS security processor in the reader programs the tag with a 40 bit secret key that only the processor and the transponder (tag) know. The 40 bit secret key, otherwise known as a Digital Signature Tag, is never transmitted through the air after programming. A transponder is either manufactured into, for example, the microprocessor and the hard drive of the computer or mounted thereto. The secret key is then also programmed into the microprocessor or another chip on the motherboard and the hard drive. When turning on the computer, the reader issues a 40-bit challenge to the transponder. The transponder processes the 40 bit challenge using the predetermined algorithm, yields a 24 bit response and transmits the response back to the reader. In dependence upon the challenge sent, the reader expects a predetermined response. Upon receiving the predetermined response, the reader sends an enable signal to the computer and the computer turns on. Similarly, the processor in the reader issues challenges first to either/or the microprocessor and the hard drive, and the same interchange described above occurs. Likewise, as a result of the reader receiving the predetermined responses from both the microprocessor and the hard drive, enable signals may be sent to the microprocessor and hard drive enabling operation in both components. Upon mismatch, the component won't receive the enable signal and will fail to operate. Upon no match(i.e. if no transponder is present), the component will also fail to receive an enable signal, thereby making the component useless if improperly removed.

[0013] Similarly, if all the components within a computer have transponders located thereon, upon boot-up, the reader also located within the computer can check to make certain that all the components have the same digital signature as does the reader. The proper licensed vendor could, of course, sell a replacement component with the proper digital signature. However, someone selling a knock-off component or one not licensed would sell a component without the proper digital signature and the computer would fail to run. This would prevent someone from replacing an original licensed component with a knock-off or illegitimate component.

[0014] The Peek system could also be used to implement maintenance and calibration information on engineering equipment. Read/Write transponders

would best suit this purpose thereby allowing maintenance and calibration information to be programmed into each particular piece of equipment upon such maintenance and calibration occurring.

[0015] Furthermore, the TIRIS reader could be put into a mode in which it becomes a transponder. As a transponder, the reader would activate upon entering a magnetic field and transmit a reader ID number to another reader, perhaps disposed near an exit of a building. In this way, the removal of electronic equipment from certain premises can be detected, monitored and recorded automatically.

[0016] Computers are not the only equipment that could be protected using the PEEK system described above. Any electronic equipment with a control component and a memory, such as camcorders, cellular phones, cameras could be protected with the PEEK system above as described in the above paragraphs.

Claims

1. A portable electronic equipment key system comprising:
 - a transponder for receiving a challenge and transmitting a response thereto; and
 - an electronic apparatus, comprising;
 - a memory circuit for storage of a key;
 - a reader for transmitting said challenge and for receiving said response, and for enabling the electronic equipment in response to said response being a predetermined response.
2. The equipment key according to claim 1, wherein said predetermined response comprises a function of said challenge and said key.
3. The equipment key according to claim 1 or claim 2, wherein said key comprises a predetermined code and a predetermined algorithm.
4. The equipment key according to any preceding claim, wherein said electronic apparatus comprises a computer.
5. The equipment key according to claim 4, wherein said reader is integrated into a central processing unit of said computer.
6. The equipment key according to any preceding claim, wherein said transponder is disposed on a credit card.
7. The equipment key according to any of claims 1 to 5, wherein said transponder is disposed on a key fob.
8. The equipment key according to any of claims 1 to 5, wherein said transponder is disposed on a ring.
9. The equipment key according to any of claims 1 to 5, wherein said transponder is disposed on a clip-on to a wrist band.
10. The equipment key according to any preceding claim, wherein said reader is powered via a battery.
11. The equipment key according to any preceding claim, wherein said reader is powered remotely via a remote source.
12. The equipment key according to any preceding claim, wherein said electronic apparatus further comprises:
 - a microprocessor programmed to operate solely upon receipt of an enable signal from said reader, said reader transmitting said enable signal in response to having received the predetermined response from said transponder.
13. The equipment key according to any of claims 1 to 11, wherein said electronic apparatus further comprises:
 - a hard drive programmed to operate solely upon receipt of an enable signal from said reader, said reader transmitting said enable signal in response to having received the predetermined response from said transponder.
14. A portable electronic equipment key system comprising:
 - an electronic apparatus, comprising;
 - a plurality of components;
 - a memory circuit for storage of a key;
 - a transponder associated with one or each of said components for receiving a challenge and transmitting a response thereto;
 - a reader for transmitting said challenge and for receiving said responses from said transponders, and for enabling said plurality of components in response to said responses being predetermined responses.
15. The equipment key according to claim 14, wherein said predetermined response comprises a function of said challenge and said key.
16. The equipment key according to claim 14 or claim 15, wherein said key comprises a predetermined code and a predetermined algorithm.

17. The equipment key according to any of claims 14 to 16, wherein said electronic apparatus comprises a computer.
18. The equipment key according to claim 17, wherein said reader is integrated into a central processing unit of said computer. 5
19. The equipment key according to any of claims 14 to 18, wherein said transponder is disposed on a credit card. 10
20. The equipment key according to any of claims 14 to 18, wherein said transponder is disposed on a key fob. 15
21. The equipment key according to any of claims 14 to 18, wherein said transponder is disposed on a ring.
22. The equipment key according to any of claims 14 to 18, wherein said transponder is disposed on a clip-on to a wristband. 20
23. The equipment key according to any of claims 14 to 22, wherein said reader is powered via a battery. 25
24. The equipment key according to any of claims 14 to 22, wherein said reader is powered remotely via a remote source. 30
25. A portable electronic equipment key system comprising:
 - a transponder for receiving a challenge and transmitting a response thereto; and 35
 - an electronic apparatus, comprising;
 - memory for storage of a key;
 - a reader for transmitting said challenge and for receiving said response and enabling said electronic apparatus in response to said response being a predetermined response. 40
26. The equipment key according to any preceding claim, wherein enabling said electronic apparatus comprises enabling a system BIOS. 45
27. The equipment key according to any preceding claim, wherein enabling said electronic equipment comprises enabling I/O ports. 50




FIG. 1




FIG. 2



Europäisches Patentamt
European Patent Office
Office européen des brevets



(11)

EP 1 016 947 A3

(12)

EUROPEAN PATENT APPLICATION

(88) Date of publication A3:
26.04.2006 Bulletin 2006/17

(51) Int Cl.:
G06F 1/00 (2006.01)

(43) Date of publication A2:
05.07.2000 Bulletin 2000/27

(21) Application number: 99204446.1

(22) Date of filing: 21.12.1999

(84) Designated Contracting States:
**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE**
Designated Extension States:
AL LT LV MK RO SI

(30) Priority: 31.12.1998 US 114315 P

(71) Applicant: **TEXAS INSTRUMENTS
INCORPORATED**
Dallas,
Texas 75251 (US)

(72) Inventors:
• Pearson, Joseph B.
Cedar Park,
Texas 78613 (US)
• Holodak, George A.
Belton,
Texas 76513 (US)

(74) Representative: Holt, Michael
Texas Instruments Limited,
European Patents Department (MS 13),
PO Box 5069
Northampton NN4 7ZE (GB)

(54) **Portable electronic equipment key**

(57) A portable electronic equipment key is disclosed in which a reader is disposed within a piece of electronic equipment and a transponder, manifested as either a key fob or a credit card, for example, is brought within the read range of the reader. At the manufacturing level, the same digital signature is programmed into the memory of both the piece of electronic equipment and the transponder. The reader transmits a challenge to the trans-

ponder, and knowing the challenge sent and having the same digital signature as the transponder, anticipates the response from the transponder. The transponder receives the challenge, runs the challenge through the digital signature stored within, and transmits a response back to the reader. The reader upon receiving the expected response, sends an enable to turn on the piece of electronic equipment.




FIG. 1

EP 1 016 947 A3



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 99 20 4446

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (IPC)
X	WO 97/39553 A (INTEL CORPORATION; DAVIS, DEREK, L; SMITH, LIONEL) 23 October 1997 (1997-10-23) * page 4, paragraph 1 * * page 6, last paragraph - page 8, paragraph 2 * * page 10, paragraph 2 - page 12, paragraph 2 * * figures 1-4 *	1-13, 25-27	G06F1/00
X	----- "PROXIMITY ACTIVATED COMPUTER CONSOLE LOCK" IBM TECHNICAL DISCLOSURE BULLETIN, IBM CORP. NEW YORK, US, vol. 35, no. 6, 1 November 1992 (1992-11-01), pages 173-176, XP000314101 ISSN: 0018-8689 * the whole document *	1-13, 25-27	
X	----- US 5 097 505 A (WEISS ET AL) 17 March 1992 (1992-03-17) * column 2, line 38 - column 3, line 15 * * column 3, line 53 - column 6, line 12 * * column 10, line 3 - line 31 * * column 11, line 55 - column 12, line 11 *	1-13, 25-27	TECHNICAL FIELDS SEARCHED (IPC) G06F
X	----- WO 98/07249 A (CALIFORNIA WIRELESS, INC) 19 February 1998 (1998-02-19) * page 2, line 9 - line 17 * * page 3, line 3 - line 14 * * page 4, line 13 - line 27 * ----- -/--	1-13, 25-27	
The present search report has been drawn up for all claims			
Place of search The Hague		Date of completion of the search 3 March 2006	Examiner Arbutina, L
CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document			

 5
EPO FORM 1503 03.82 (P04001)



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 99 20 4446

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (IPC)
X	US 5 787 174 A (TUTTLE ET AL) 28 July 1998 (1998-07-28) * abstract * * column 2, line 65 - column 3, line 12 * * column 3, line 25 - line 27 * * column 4, line 57 - line 65 * * column 5, line 13 - line 19 * * column 5, line 50 - line 62 * * column 8, line 1 - line 22 * -----	14-24	
A	WO 97/45780 A (ALINGSAAS INFORMATION SYSTEM AB; JOHANSSON, CHRISTER; TOERNIGREN, BENGT) 4 December 1997 (1997-12-04) * page 2, line 14 - line 30 * -----	14-24	
The present search report has been drawn up for all claims			TECHNICAL FIELDS SEARCHED (IPC)
Place of search The Hague		Date of completion of the search 3 March 2006	Examiner Arbutina, L
<p>CATEGORY OF CITED DOCUMENTS</p> <p>X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document</p> <p>T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document</p>			

5
EPO FORM 1503 03 82 (P04C01)



European Patent
Office

Application Number
EP 99 20 4446

CLAIMS INCURRING FEES

The present European patent application comprised at the time of filing more than ten claims.

☐ Only part of the claims have been paid within the prescribed time limit. The present European search report has been drawn up for the first ten claims and for those claims for which claims fees have been paid, namely claim(s):

☐ No claims fees have been paid within the prescribed time limit. The present European search report has been drawn up for the first ten claims.

LACK OF UNITY OF INVENTION

The Search Division considers that the present European patent application does not comply with the requirements of unity of invention and relates to several inventions or groups of inventions, namely:

see sheet B

☒ All further search fees have been paid within the fixed time limit. The present European search report has been drawn up for all claims.

☐ As all searchable claims could be searched without effort justifying an additional fee, the Search Division did not invite payment of any additional fee.

☐ Only part of the further search fees have been paid within the fixed time limit. The present European search report has been drawn up for those parts of the European patent application which relate to the inventions in respect of which search fees have been paid, namely claims:

☐ None of the further search fees have been paid within the fixed time limit. The present European search report has been drawn up for those parts of the European patent application which relate to the invention first mentioned in the claims, namely claims:



European Patent
Office

LACK OF UNITY OF INVENTION
SHEET B

Application Number
EP 99 20 4446

The Search Division considers that the present European patent application does not comply with the requirements of unity of invention and relates to several inventions or groups of inventions, namely:

1. claims: 1-13,25-27

Secure access to electronic equipment

2. claims: 14-24

Electronic equipment configuration control

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 99 20 4446

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.
The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

03-03-2006

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 9739553	A	23-10-1997	AU 2211297 A	07-11-1997
			DE 69730128 D1	09-09-2004
			DE 69730128 T2	11-08-2005
			EP 0888677 A1	07-01-1999
			HK 1016772 A1	29-04-2005
			KR 2000005527 A	25-01-2000
			US 6088450 A	11-07-2000

US 5097505	A	17-03-1992	AT 131949 T	15-01-1996
			AU 642362 B2	14-10-1993
			AU 6720890 A	31-05-1991
			CA 2072150 A1	01-05-1991
			DE 69024367 D1	01-02-1996
			DE 69024367 T2	22-08-1996
			EP 0497889 A1	12-08-1992
			ES 2084710 T3	16-05-1996
			JP 5503598 T	10-06-1993
			WO 9106926 A1	16-05-1991

WO 9807249	A	19-02-1998	NONE	

US 5787174	A	28-07-1998	NONE	

WO 9745780	A	04-12-1997	AU 721641 B2	13-07-2000
			AU 3111897 A	05-01-1998
			BR 9709403 A	06-06-2000
			CA 2256373 A1	04-12-1997
			CN 1222984 A	14-07-1999
			EP 0972233 A2	19-01-2000
			JP 2000511311 T	29-08-2000
			KR 2000016214 A	25-03-2000
			NZ 333067 A	28-07-2000
			RU 2187147 C2	10-08-2002
			US 6553495 B1	22-04-2003

EPO FORM P0459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☒ **FADED TEXT OR DRAWING**
- ☒ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☒ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.